


<b>Form 1449 (Modified)</b>  <b>Information Disclosure Statement By Applicant</b>  <i>(Use Several Sheets if Necessary)</i>	<b>Atty Docket No.:</b> IMM1P029B	<b>Application No.:</b> 09/755,383
	<b>Applicant:</b> Schena et al.	
	<b>Filing Date:</b> 1/5/01	<b>Group:</b> 2613



RECEIVED  
FEB 06 2002  
Technology Center 2600

**U.S. Patent Documents**

Examiner Initial		Patent No.	Date	Patentee	Class	Sub-Class	Filing Date
	*	3,919,691	11/11/75	Noll	340	172.5	5/26/71
	*	4,398,889	8/16/83	Lam et al.	434	45	6/8/81
	*	4,477,043	10/16/84	Repperger	244	223	12/15/82
	*	4,546,347	10/8/85	Kirsch	340	710	6/24/83
		4,550,221	10/29/85	Mabusth	178	18	10/7/83
		4,692,756	9/8/87	Clark	340	709	7/5/84
	*	4,775,289	10/4/88	Kazerooni	414	735	9/25/87
	*	4,782,327	11/1/88	Kley et al.	340	365	1/2/85
	*	4,794,384	12/27/88	Jackson	340	710	4/9/87
		4,798,919	1/17/89	Miessler et al.	178	18	3/11/88
	*	4,799,055	1/17/89	Nestler et al.	340	710	4/26/84
	*	4,800,721	1/31/89	Cemenska et al.	60	393	2/13/87
	*	4,811,608	3/14/89	Hilton	73	862.04	11/6/86
	*	4,823,634	4/25/89	Culver	74	471	11/3/87
	*	4,839,838	6/13/89	LaBiche et al.	364	709.11	3/30/87
	*	4,861,269	8/29/89	Meenen, Jr.	434	45	3/30/88
	*	4,868,549	9/19/89	Affinito et al.	340	710	5/18/87
	*	4,935,728	6/19/90	Kley	340	709	11/20/87
		4,949,119	8/14/90	Moncrief et al.	364	578	1/12/89
	*	5,044,956	9/3/91	Behensky	434	45	1/12/89
	*	5,065,145	11/12/91	Purcell	340	706	10/6/89
		5,086,296	2/4/92	Clark	340	709	12/2/88
	*	5,095,303	3/10/92	Clark et al.	340	710	3/27/90
	*	5,103,404	4/7/92	McIntosh	318	568.22	12/20/89
	*	5,107,080	4/21/92	Rosen	200	6	12/1/89
	*	5,107,262	4/21/92	Cadoz et al.	341	22	10/12/89
	*	5,142,931	9/1/92	Menahem	74	471	2/14/91
	*	5,146,566	9/8/92	Hollis, Jr. et al.	395	275	5/29/91
	*	5,185,561	2/9/93	Good et al.	318	432	7/23/91
	*	5,186,629	2/16/93	Rohen	434	114	8/22/91


<b>Examiner:</b> DAVID LEWIS	<b>Date Considered:</b> 5/18/02
------------------------------	---------------------------------

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form 1449 (Modified)

**Information Disclosure  
Statement By Applicant**

(Use Several Sheets if Necessary)


**Atty Docket No.:**  
IMM1P029B

**Application No.:**  
09/755,383
**Applicant:**

Sचना et al.

**Filing Date:**

1/5/01

**Group:**

2673

**RECEIVED**  
FEB 06 2002  
Technology Center 2600

**U.S. Patent Documents**

Examiner Initial		Patent No.	Date	Patentee	Class	Sub- Class	Filing Date
DL	*	5,193,963	3/16/93	McAfee et al.	414	5	10/31/90
	*	5,220,260	6/15/93	Schuler	318	561	10/24/91
	*	5,223,776	6/29/93	Radke et al.	318	568.1	12/31/90
	*	5,228,356	7/20/93	Chuang	74	471	11/25/91
		5,237,327	8/17/93	Saitoh et al.	341	176	11/14/91
	*	5,264,768	11/23/93	Gregory et al.	318	561	10/6/92
		5,293,158	3/8/94	Soma	345	161	5/5/92
	*	5,296,846	3/22/94	Ledley	345	161	10/5/92
	*	5,296,871	3/22/94	Paley	345	163	7/27/92
	*	5,355,148	10/11/94	Anderson	345	166	1/14/93
	*	5,374,942	12/20/94	Gilligan et al.	345	157	8/12/93
	*	5,379,663	1/10/95	Hara	74	471	11/22/93
	*	5,389,865	2/14/95	Jacobus et al.	318	568.11	12/2/92
	*	5,396,266	3/7/95	Brimhall	345	161	6/8/93
	*	5,397,323	3/14/95	Taylor et al.	606	130	10/30/92
	*	5,398,044	3/14/95	Hill	345	145	12/7/93
	*	5,405,152	4/11/95	Katanics et al.	276	438	6/8/93
	*	5,414,337	5/9/95	Schuler	318	561	6/11/93
	*	5,457,479	10/10/95	Cheng	345	163	6/13/94
	*	5,473,235	12/5/95	Lance et al.	318	561	12/21/93
	*	5,477,237	12/19/95	Parks	345	156	7/14/94
	*	5,491,477	2/13/96	Clark et al.	341	20	9/13/93
	*	5,513,100	4/30/96	Parker et al.	364	167.01	6/10/93
		5,521,336	5/28/96	Buchanan et al.	178	18	5/23/94
	*	5,530,455	6/25/96	Gillick et al.	345	163	8/10/94
	*	5,576,727	11/19/96	Rosenberg et al.	345	179	06/05/95
	*	5,587,937	12/24/96	Massie et al.	364	578	04/25/95
		5,589,826	12/31/96	Armstrong	341	20	3/5/92
DL	*	5,589,854	12/31/96	Tsai	345	161	6/22/95
	*	5,623,582	4/22/97	Rosenberg	395	99	7/14/94

**Examiner:**

DAVID LEWIS

**Date Considered:**

5/8/02

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form 1449 (Modified)

**Information Disclosure Statement By Applicant**

(Use Several Sheets if Necessary)

Atty Docket No.: IMM1P029B

Application No.: 09/755,383

Applicant: Schena et al.



Filing Date: 1/5/01

Group: 2673

RECEIVED FEB 06 2002 Technology Center 2600

JAN 31 2002 TRADEMARK OFFICE

U.S. Patent Documents

Examiner Initial		Patent No.	Date	Patentee	Class	Sub- Class	Filing Date
	*	5,629,594	5/13/97	Jacobus et al.	318	568.11	10/16/95
		5,642,469	6/24/97	Hannaford et al.	395	99	11/3/94
	*	5,643,087	7/1/97	Marcus et al.	463	38	7/29/94
	*	5,656,901	8/12/97	Kurita	318	436	4/21/95
	*	5,666,138	9/9/97	Culver	345	161	11/22/94
		5,691,747	11/25/97	Amano	345	167	12/19/94
	*	5,691,898	11/25/97	Rosenberg et al.	364	190	3/28/96
	*	5,709,219	1/20/98	Chen et al.	128	782	8/1/96
	*	5,714,978	2/3/98	Yamanaka et al.	345	157	12/5/95
	*	5,721,566	2/24/98	Rosenberg et al.	345	161	6/9/95
	*	5,731,804	03/24/98	Rosenberg	345	156	01/18/95
	*	5,734,373	3/31/98	Rosenberg et al.	345	161	12/1/95
	*	5,736,978	4/7/98	Hasser et al.	345	173	5/26/95
	*	5,742,278	4/21/98	Chen et al.	345	156	11/1/95
	*	5,754,023	5/19/98	Rosten et al.	318	561	10/22/96
	*	5,755,577	5/26/98	Gillio	434	262	7/11/96
		5,760,764	6/2/98	Martinelli	345	160	12/13/95
	*	5,767,839	6/16/98	Rosenberg	345	161	3/3/95
	*	5,769,640	6/23/98	Jacobus et al.	434	262	8/10/95
	*	5,771,037	6/23/98	Jackson	345	157	7/24/95
	*	5,781,172	7/14/98	Engel et al.	345	164	6/16/97
		5,784,052	7/21/98	Keyson	345	167	3/12/96
	*	5,790,108	8/4/98	Salcudean et al.	345	184	10/23/92
		5,802,353	9/1/98	Avila et al.	395	500	6/12/96
	*	5,805,140	9/8/98	Rosenberg et al.	345	161	11/17/95
		5,808,603	9/15/98	Chen	345	157	2/6/97
		5,821,921	10/13/98	Osborn et al.	345	157	8/9/96
	*	5,825,308	10/20/98	Rosenberg	341	20	11/26/96
	*	5,828,197	10/27/98	Martin et al.	318	567	10/25/96
		5,828,363	10/27/98	Yaniger et al.	345	156	8/18/97

Examiner: DAVID LEWIS Date Considered: 5/10/02

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form 1449 (Modified)

**Information Disclosure  
Statement By Applicant**

(Use Several Sheets if Necessary)

**Atty Docket No.:**  
IMM1P029B

**Application No.:**  
09/755,387
**Applicant:**


Schena et al.

**Filing Date:**

1/5/01

**Group:**

2673


**RECEIVED**  
FEB 06 2002  
Technology Center 2600

## U.S. Patent Documents

Examiner Initial	Patent No.	Date	Patentee	Class	Sub- Class	Filing Date
	5,841,423	11/24/98	Carroll, Jr. et al.	345	168	12/26/95
	5,841,428	11/24/98	Jaeger et al.	345	184	9/20/96
	* 5,844,392	12/1/98	Peurach et al.	318	568.17	5/21/97
	5,877,750	3/2/99	Hanson	345	173	9/17/96
	5,887,995	3/30/99	Holehan	400	479.1	9/23/97
	* 5,889,670	3/30/99	Schuler et al.	364	186	1/11/96
	5,914,705	6/22/99	Johnson et al.	345	163	2/9/96
	5,943,044	8/24/99	Martinelli et al.	345	174	5/15/97
	5,956,016	9/21/99	Kuenzner et al.	345	156	3/19/97
	5,973,689	10/26/99	Gallery	345	339	10/29/97
	* 5,990,869	11/23/99	Kubica et al.	345	163	2/19/97
	6,004,134	12/21/99	Marcus et al.	434	45	5/19/94
	6,078,308	6/20/00	Rosenberg et al.	345	145	6/18/97
	6,088,019	7/11/00	Rosenberg	345	156	6/23/98
	6,100,874	8/8/00	Schena et al.	345	157	6/24/97
	6,128,006	10/3/00	Rosenberg et al.	345	163	3/26/98
	6,154,201	11/28/00	Levin et al.	345	184	10/26/98
	6,166,723	12/26/00	Schena et al.	345	184	11/7/97
	6,198,206	3/6/01	Saarmaa et al.	310	340	3/20/98
	6,219,032	4/17/01	Rosenberg et al.	345	157	12/13/95
	6,225,976	5/1/01	Yates et al.	345	156	10/30/98
	6,243,078	6/5/01	Rosenberg	345	161	2/28/99
	6,256,011	7/3/01	Culver	345	157	12/1/98

**Examiner:**

DAVID LEWIS

**Date Considered:**

5/10/02

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Form 1449 (Modified)

# Information Disclosure Statement By Applicant

(Use Several Sheets if Necessary)

Atty Docket No.:  
IMM1P029BApplication No.:  
09/755,387

Applicant:

Schena et al.

Filing Date:

1/5/01

Group:

2673



RECEIVED  
FEB 06 2002  
Technology Center 2600

## Other Documents

Examiner Initial	Author, Title, Date, Place (e.g. Journal) of Publication
DX	* Hayward, V. et al., "Design and Multi-Objective Optimization of a Linkage for a Haptic Interface," Advances in Robot Kinematics and Computationed Geometry, Kluwer Academic Publishers, 1994, pp. 359-368.
	* Ramstein, C. et al., "The Pantograph: A Large Workspace Haptic Device for a Multimodal Human-Computer Interaction," Computer-Human Interaction, CHI '94, 1994, pp. 1-3.
	* Payette, J. et al., "Evaluation of a Force Feedback (Haptic) Computer Pointing Device in Zero Gravity," DSC. Vol. 58 Proc. of the ASME Dynamics Systems and Control Division, ASME 1996, pp. 547-553.
	* Ramstein, C., "Combining Haptic and Braille Technologies: Design Issues and Pilot Study," ASSETS '96, ACM 0-89791-776-6/96, pp. 37-44.
	* Millman, P. et al., "Design of a Four Degree-of-Freedom Force-Reflecting Manipulandum with a Specified Force/Torque Workspace," Proc. of 1991 IEEE Int'l Conf. on Robotics and Automation, IEEE 1991, pp. 1488-1492.
	* Buttolo, P. et al., "Pen Based Force Display for Precision Manipulation in Virtual Environments," IEEE 0-8186-7084-3, 1995, pp. 217-224.
	* Munch, S. et al., "Intelligent Control for Haptic Displays," Eurographics '96, Blackwell Publishers, 1996, pp. C-217-226.
	* Tavkhelidze, D. et al., "Kinematic Analysis of Five-Link Spherical Mechanisms," Mechanism and Machine Theory, Pergamon Press, Vol. 9, 1974, pp. 181-190.
	* Adelstein, B. et al., "Design and Implementation of a Force Reflecting Manipulandum for Manual Control Research," NASA Ames Research Center, MIT, 1992, pp. 1-24.
	* Ellis, R. et al., "Design and Evaluation of a High-Performance Prototype Planar Haptic Interface," DSC-Vol. 49, Advances in Robotics, Mechatronics, and Haptic Interfaces, ASME 1993, pp. 55-64.
	* Adelstein, B., "A High Performance Two Degree-of-Freedom Kinesthetic Interface," Mass. Inst. of Technology, 1992, pp. 108-112.
	* Howe, R. et al., "Task Performance with a Dextrous Teleoperated Hand System," Proc. of SPIE, Vol. 1833, 1992, pp. 1-9.
	* Kelley, A. et al., "MagicMouse: Tactile and Kinesthetic Feedback in the Human-Computer Interface using an Electromagnetically Actuated Input/Output Device," Dept. of Elec. Engineering, Univ. of British Columbia, 1993, pp. 1-27.
	* Akamatsu, M. et al., "Multimodal Mouse: A Mouse-Type Device with Tactile and Force Display," Presence, Vol. 3, No. 1, 1994, pp. 73-80.
	* Schmult, B. et al., "Application Areas for a Force-Feedback Joystick," DSC-Vol. 49, Advances in Robotics, Mechatronics, and Haptic Interfaces, ASME 1993, pp. 47-54.
	* Rosenberg, Louis, "A Force Feedback Programming Primer," Immersion Corp., 1997, pp. 1-177.
	* Iwata, H. "Artificial Reality with Force-feedback," Computer Graphics, Vol. 24, No. 4, 1990, pp. 165-170.
DX	* Minsky, M. et al., "Feeling and Seeing: Issues in Force Display," ACM 089791-351-5, 1990, pp. 235-245, 270.
	* Hannaford, B. et al., "Force-Feedback Cursor Control," NASA Tech Brief, Vol. 13, No. 11, Item #21, 1989, pp. 1-4.

Examiner:

DADD LEWS

Date Considered:

3/18/02

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form 1449 (Modified)

# Information Disclosure Statement By Applicant

(Use Several Sheets if Necessary)

Atty Docket No.:

IMM1P029B

Application No.:

09/755,383

Applicant:

Schena et al.

Filing Date:

1/5/01

Group:

2673

RECEIVED  
FEB 06 2002  
Technology Center 2600

## Other Documents

Examiner Initial	Author, Title, Date, Place (e.g. Journal) of Publication
[Signature]	* Rosenberg, L., "Virtual Fixtures as Tools to Enhance Operator Performance in Telepresence Environments," SPIE Telem manipulator Technology, 1993, pp. 1-12.
	* Rosenberg, L. et al., "Perceptual Decomposition of Virtual Haptic Surfaces," Proc. IEEE Symposium on Research Frontiers in Virtual Reality, 1993, pp 1-8.
	* Rosenberg, L. et al., "The use of force feedback to enhance graphical user interfaces," Stereoscopic Displays and Virtual Reality Systems III, Proc. SPIE 2653, 1986, pp. 243-248.
	* Schmult, B. et al., "Application Areas for a Force-Feedback Joystick," DSC-Vol. 49, Advances in Robotics, Mechatronics, and Haptic Interfaces, ASME 1993, pp. 47-54.
	* Rosenberg, Louis, "A Force Feedback Programming Primer," Immersion Corp., 1997, pp. 1-177.
	* Iwata, H. "Artificial Reality with Force-feedback," Computer Graphics, Vol. 24, No. 4, 1990, pp. 165-170.
	* Minsky, M. et al., "Feeling and Seeing: Issues in Force Display," ACM 089791-351-5, 1990, pp. 235-245, 270.
	* Hannaford, B. et al., "Force-Feedback Cursor Control," NASA Tech Brief, Vol. 13, No. 11, Item #21, 1989, pp. 1-4.
	* Atkinson, W. et al., "Computing with Feeling," Comput. & Graphics, Vol. 2, Pergamon Press, 1977, pp. 97-103.
	* Rosenberg, L., "Virtual Fixtures as Tools to Enhance Operator Performance in Telepresence Environments," SPIE Telem manipulator Technology, 1993, pp. 1-12.
	* Rosenberg, L. et al., "Perceptual Decomposition of Virtual Haptic Surfaces," Proc. IEEE Symposium on Research Frontiers in Virtual Reality, 1993, pp 1-8.
	* Rosenberg, L. et al., "The use of force feedback to enhance graphical user interfaces," Stereoscopic Displays and Virtual Reality Systems III, Proc. SPIE 2653, 1986, pp. 243-248.
	* Rosenberg, L., "Virtual haptic overlays enhance performance in telepresence tasks," Dept. of Mech. Engineering, Stanford Univ., 1993.
	* Gotow, J.K. et al., "Perception of Mechanical Properties at the Man-machine Interface," IEEE CH2503-1, 1987, pp. 688-689.
	* Wiker, S. et al., "Development of Tactile Mice for Blind Access to Computers," Proc. of Human Factors Society, 1991, pp. 708-712.
[Signature]	* Batter, J. et al., "Grove-1: A Computer Display to the Sense of Feel," Proc. IFIP Congress, 1971, pp. 759-763.
	* Russo, M., "The Design and Implementation of a Three Degree-of-Freedom Force Output Joystick," Dept. of Mech. Engineering, 1990, pp. 1-40.
	* Fischer, P. et al., "Specification and Design of Input Devices for Teleoperation," IEEE CH2876-1, 1990, pp. 540-545.
	* Atkinson, W. et al., "Computing with Feeling," Comput. & Graphics, Vol. 2, Pergamon Press, 1977, pp. 97-103.

Examiner:



DAVID LEWIS

Date Considered:



5/16/02

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<b>Form 1449 (Modified)</b>  <b>Information Disclosure Statement By Applicant</b>  <i>(Use Several Sheets if Necessary)</i>	<b>Atty Docket No.:</b> IMM1P029B	<b>Application No.:</b> 09/755,383
	<b>Applicant:</b> Schena et al.	
	<b>Filing Date:</b> 1/5/01	<b>Group:</b> 2673



**Other Documents**

Examiner Initial		Author, Title, Date, Place (e.g. Journal) of Publication
	*	Herndon, J. et al., "The State-of-the-Art Model M-2 Maintenance System," Proc. of 1984 Nat'l Topical Meeting on Robotics and Remote Handling in Hostile Environments, American Nuclear Soc., pp. 147-154.
	*	Hannaford, B. et al., "Performance Evaluation of a Six-Axis Generalized Force-Reflecting Teleoperator," IEEE Trans. on Systems, Man, and Cybernetics, Vol. 21, No. 3, 1991, pp. 620-633.
	*	Adachi, Y. et al., "Sensory Evaluation of Virtual Haptic Push-Buttons," Technical Research Center, Suzuki Motor Corp., 1994.
	*	Ouh-young, M. et al., "Force Display Performs Better than Visual Display in a Simple 6-D Docking Task," Int'l Conf. on Robotics and Automation, IEEE CH2750, 1989, pp. 1462-1466.
	*	Rosenberg, L., "The Use of Virtual Fixtures to Enhance Operator Performance in Time Delayed Teleoperation," Air Force Materiel Command, AL/CF-TR-1994-0139, 1993, pp. 1-45.
	*	Rosenberg, L., "Perceptual Design of a Virtual Rigid Surface Contact," Air Force Materiel Command, AL/CF-TR-1995-0029, 1993, pp. 1-40.
	*	Rosenberg, L. et al., "Commercially Viable Force Feedback Controller for Individuals with Neuromotor Disabilities," U.S. Air Force Armstrong Laboratory, AL/CF-TR-1997-0016, 1996, pp. 1-33.
	*	Colgate, J. et al., "Implementation of Stiff Virtual Walls in Force-Reflecting Interfaces," Dept. of Mech. Engineering, Northwestern Univ., 1993, pp. 1-7.
	*	Su, S. et al., "The Virtual Panel Architecture: A 3D Gesture Framework," IEEE 0-7803-1363-1, 1993, pp. 387-393.
	*	Kotoku, T., "A Predictive Display with Force Feedback and its Application to Remote Manipulation System with Transmission Time Delay," Proc. of 1992 IEEE/RSI Int'l Conf. on Intelligent Robots and Systems, IEEE 0-7803-0737-2, 1992, pp. 239-246.
	*	Yokokohji, Y. et al., "What You Can See is What You Can Feel- Development of a Visual/Haptic Interface to Virtual Environment," IEEE 0-8186-7295-1, 1996, pp. 46-54.
	*	Brooks Jr., F. et al., "Project Grope—Haptic Displays for Scientific Visualization," Computer Graphics, Vol. 24, No. 4, 1990, pp. 177-185.
	*	Hirota, K. et al., "Development of Surface Display," IEEE 0-7803-1363-1, 1993, pp. 256-262.
	*	Kelley, A.J., "On the Development of a Force-Feedback Mouse and Its Integration into a Graphical User Interface," 1994 Int'l Mechanical Engineering Congress and Exhibition, 1994, pp. 1-8.
		*
*		Winey III, C., "Computer Simulated Visual and Tactile Feedback as an Aid to Manipulator and Vehicle Control," Mech. Engineering, MIT, 1981, pp. 1-79.

<b>Examiner:</b> DAVID LEWIS	<b>Date Considered:</b> 5/10/02
------------------------------	---------------------------------

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.